

PHASOR™ VSD TRANSFORMER

PATENTS 6,734,772 AND 6,787,704

THIS TRANSFORMER IS DESIGNED SPECIFICALLY TO INTERFACE BETWEEN A VARIABLE SPEED DRIVE AND AN ELECTRIC SUBMERSIBLE PUMP. IT IS ALSO SUITABLE FOR OTHER STEP-UP OR STEP DOWN APPLICATIONS. THIS PLATE DISPLAYS THE BASIC RATINGS. SEE OTHER INFORMATION PLATES FOR ADDITIONAL RATINGS AND INFORMATION.

750 KVA 3 PHASE 60 HERTZ 65°C RISE

	VOLTS	AMPS	CONDUCTOR	BIL
LOW	480	902	CU	30
HIGH	1260 - 4988	344 - 87	CU	60

5.3 % IMPEDANCE @ 85°C

1.1 % RESISTANCE 5.2 % REACTANCE

356 GAL. MINERAL OIL NON-PCB CLASS OA TANK IS DESIGNED FOR 7 PSIG

OIL LEVEL IS 8" BELOW THE LID AT 25°C


OIL LEVEL CHANGES 0.50" PER 10°C

TOTAL MASS 7667 LB.

OIL MASS 2671 LB.

UNTANKING MASS 3061 LB.

TANK AND FITTINGS MASS 1935 LB.



BARCODE THE 13 DIGITS OF P.N.
ONLY IN FORMAT 128, 0.25"
HEIGHT HUMAN READABLE TEXT,
WITH DASHES, IN 0.1" HEIGHT
USE BLACK BARCODE

TAPS

MADE IN USA

0061-200928-164



GENERAL TOLERANCES (UNLESS OTHERWISE SPECIFIED)
LINEAR $\pm .063$ IN (1/16) WIEDAMATIC $\pm .031$ IN
DIAGONAL $\pm .093$ IN (3/32) PORCELAIN $\pm .03$ PER IN

REV.	DATE	REVISION	BY	APP.
C	11/02/10	CHANGED LOGO	ST	ST
B	12/23/09	ADDED BARCODE	ST	ST
A	12/28/05	REMOVED APP STMP; REISSUED AS RECORD	TB	

TAPS

MADE IN USA



NAME:	T.A.P.S. VSD NAMEPLATE 1	c.c.	714
DESCR:	9989410041005		
	3WBT5601		61200928.164
SCALE	1.000	DWG BY	TB
CHK BY		DATE	12/14/05